- a securing slot extends into a bottom portion of said main member for attaching to a strap; and
- a plurality of notches preferably extend into said front and rear ends of said main member for selectively receiving a band member.
- 2. (Original) The medical arm securing device of Claim 1, wherein said slots are substantially parallel to one another.
- 3. (Original) The medical arm securing device of Claim 1, wherein said slots form a first arm, a second arm and a third arm.
- 4. (Original) The medical arm securing device of Claim 3, wherein said arms are substantially parallel to one another.
- 5. (Original) The medical arm securing device of Claim 4, wherein said main member has a rear portion that is positionable adjacent to an immobile patient.
- 6. (Original) The medical arm securing device of Claim 1, wherein said main member is comprised of a non-porous material.
- 7. (Original) The medical arm securing device of Claim 1, including a securing slot extending into a lower portion of said main member for removably receiving a strap.
- 8. (Original) The medical arm securing device of Claim 7, including a cutout at an inner end of said securing slot.
- 9. (Original) The medical arm securing device of Claim 7, wherein said securing slot is straight and extends into said main member at an angle.

- 10. (Original) The medical arm securing device of Claim 1, wherein said main member with said slots has an E-shape.
- 11. (Original) A medical arm securing device for securing the arms of an immobile patient, comprising:
  - a main member;
  - a first slot extending into an upper portion of said main member;
- a second slot extending into said upper end of said main member, wherein said slots receive the wrists of an immobile patient;
  - a plurality of notches on opposing ends of said main member; and
  - a band member positionable within selected said notches.
- 12. (Original) The medical arm securing device of Claim 11, wherein said slots are substantially parallel to one another.
- 13. (Original) The medical arm securing device of Claim 11, wherein said slots form a first arm, a second arm and a third arm.
- · 14. (Original) The medical arm securing device of Claim 13, wherein said arms are substantially parallel to one another.
- 15. (Original) The medical arm securing device of Claim 14, wherein said main member has a rear portion that is positionable adjacent an immobile patient.
- 16. (Original) The medical arm securing device of Claim 11, wherein said main member is comprised of a non-porous material.
- 17. (Original) The medical arm securing device of Claim 11, including a securing slot extending into a lower portion of said main member for removably receiving a strap.

- 18. (Original) The medical arm securing device of Claim 17, including a cutout at an inner end of said securing slot.
- 19. (Original) The medical arm securing device of Claim 17, wherein said securing slot is straight and extends into said main member at an angle.
- 20. (Original) The medical arm securing device of Claim 11, wherein said main member with said slots has an E-shape.